

Q2  
483  
.I5  
C27

181-  
Cox

# Catalogue of Indian Insects

## PART 3—Bombyliidae

FIELD MUSEUM  
OF  
NATURAL HISTORY

Aug 18, 1967  
BY

R. SENIOR-WHITE,

F.E.S.,

(*Malariologist, the Kepittigalla Rubber Estates Ltd., Ceylon.*)



*Issued under the authority of the Government of India.*

CALCUTTA  
SUPERINTENDENT GOVERNMENT PRINTING, INDIA  
1923

*Price, As. 8.*

The Catalogue of Indian Insects, of which the present instalment forms a part, is an inter-departmental publication, which is edited by a Standing Committee of Entomologists appointed by the Entomological Meetings held in India.

*Editorial Committee.*

- E. A. Andrews. (Rhynchota)
- C. F. C. Beeson. (Coleoptera)
- R. Senior-White. (Diptera)
- T. Bainbrigge Fletcher. (All other Orders)

# Catalogue of Indian Insects

## PART 3—Bombyliidae

BY

**R. SENIOR-WHITE,**

F.E.S.,

*(Malariologist the Kepitigalla Rubber Estates Ltd., Ceylon.)*



*Issued under the authority of the Government of India.*

CALCUTTA  
SUPERINTENDENT GOVERNMENT PRINTING, INDIA  
1923



# **Agents for the Sale of Books published by the Superintendent of Government Printing, India, Calcutta.**

## **IN EUROPE.**

Constable & Co., 10, Orange Street, Leicester Square, London, W.C.  
Kegan Paul, Trench, Trübner & Co., 68-74, Carter Lane, E.C., and 39, New Oxford Street, London, W.C.  
Bernard Quaritch, 11, Grafton Street, New Bond Street, London, W.  
P. S. King & Sons, 2 & 4, Great Smith Street, Westminster, London, S.W.  
H. S. King & Co., 65, Cornhill, E.C., and 9, Pall Mall, London, W.  
Grindlay & Co., 54, Parliament Street, London, S.W.  
Luzac & Co., 46, Great Russell Street, London, W.C.

W. Thacker & Co., 2, Creed Lane, London, E.C.  
T. Fisher Unwin, Ltd., 1, Adelphi Terrace, London, W.C.  
Wheldon & Wesley, Ltd., 2, 3 & 4, Arthur Street, New Oxford Street, London, W.C. 2.  
B. H. Blackwell, 50 & 51, Broad Street, Oxford  
Deighton Bell & Co., Ltd., Cambridge.  
Oliver and Boyd, Tweeddale Court, Edinburgh.  
E. Ponsonby, Ltd., 116, Grafton Street, Dublin.  
Ernest Leroux, 28, Rue Bonaparte, Paris.  
Martinus Nijhoff, The Hague, Holland.  
Otto Harrassowitz, Leipzig.  
Friedländer and Sohn, Berlin.

## **IN INDIA AND CEYLON.**

Thacker, Spink & Co., Calcutta and Simla.  
Newman & Co., Ltd., Calcutta.  
R. Cambray & Co., Calcutta.  
S. K. Lahiri & Co., Calcutta.  
B. Banerjee & Co., Calcutta.  
The Indian School Supply Depot, 309, Bow Bazar Street, Calcutta, and 226, Nawabpur, Dacca.  
Butterworth & Co. (India), Ltd., Calcutta.  
Rai M. C. Sarcar Bahadur & Sons, 90-2A, Harrison Road, Calcutta.  
The Weldon Library, 57, Park Street, West, Calcutta.  
Standard Literature Company, Ltd., Calcutta.  
Lal Chand & Sons, Calcutta.  
Association Press, Calcutta.  
The International Buddhist Book Depot, 4, Chandney Chowk 1st Lane, Calcutta.  
Higginbotham & Co., Madras.  
V. Kalyanarama Iyer & Co., Madras.  
G. A. Natesan & Co., Madras.  
S. Murthy & Co., Madras.  
Thompson & Co., Madras.  
Temple & Co., Madras.  
P. R. Rama Iyer & Co., Madras.  
Vas & Co., Madras.  
E. M. Gopalakrishna Kone, Madras.  
Thacker & Co., Ltd., Bombay.  
D. B. Taraporevala, Sons & Co., Bombay.  
Mrs. Radhabai Atmaram Sagoon, Bombay.  
Sunder Pandurang, Bombay.  
Gopal Narayan & Co., Bombay.  
Ram Chandra Govind & Son, Kalbadevi, Bombay.  
Proprietor, New Kitabkhana, Poona.

The Standard Bookstall, Karachi.  
Mangaldas Harkisandas, Surat.  
Kandasandas Narandas & Sons, Surat.  
A. H. Wheeler & Co., Allahabad, Calcutta and Bombay.  
N. B. Mathur, Supdt., Nasir Kanna Hind Press, Allahabad.  
Munshi Seeta Ram, Managing Proprietor, Indian Army Book Depot, Juhl, Cawnpore.  
Rai Sahib M. Gulab Singh & Sons, Mufid-i-Am Press, Lahore and Allahabad.  
Rama Krishna & Sons, Lahore.  
Oxford Book and Stationery Co., Delhi.  
Supdt., American Baptist Mission Press, Rangoon.  
Proprietor, Rangoon Times Press, Rangoon.  
The Modern Publishing House, Ltd., 70, Sparks Street, Rangoon.  
Manager, the "Hitavada," Nagpur.  
S. C. Talukdar, Proprietor, Students and Company, Cooch Behar.  
A. M. & J. Ferguson, Ceylon.  
Manager, Educational Book Depôts, Nagpur and Jubbulpore.\*  
Manager of the Imperial Book Depot, 63, Chandney Chowk Street, Delhi.\*  
Manager, "The Agra Medical Hall and Co-operative Association, Ltd." (Successors to A. John & Co., Agra).\*  
Supdt., Basel Mission Book and Tract Depository, Mangalore.\*  
F. Varadachary & Co., Madras.\*  
Ram Dayal Agarwala, 184, Katra, Allahabad.\*  
D. C. Anand & Sons, Peshawar.\*  
Manager, Newal Kishore Press, Lucknow.\*  
Maung Lu Gab, Proprietor Law Book Depot Mandalay\*  
Times of Ceylon Co., Ltd.†

\* Agents for the sale of Legislative Department publications only.  
† Agent for the sale of Archaeological publications only.

## Catalogue of Indian Insects.

### Part 3.—BOMBYLIIDÆ.

#### BOMBYLIIDÆ.

General account : Howlett, Ind. Ins. L., 597-600, figs. ; Will., Dipt. N. Amer., 210-213, figs. ; Brun., F. I. Dipt. Brachy. I, 173-174 [characterized] ; Verrall, Br. Flies, V, 474-478 [general account and systematic order of genera] ; Brun., R. I. M., II, 437-492 [revised cat. of Oriental spp.] ; Villen., Ann. S. Ent. Fr. 1905, 304-306 [Meigen's types in Paris Mus.].

#### BOMBYLIINÆ.

Verrall, Br. Flies, V, 483 ; Brun., F. I. Dipt. Brachy. I, 259.

##### 1. *Empidideicus*, Becker.

*Empidideicus*, Beck., Zeit. f. Hym. u. Dipt., VII, 97, fig. (1907), [Genotype, *E. carthaginensis*, Beck.] ; Verr., Br. Flies, V, 484, fig. 272 ; Brun., F. I. Dipt. Brachy. I, 260.

*indicus*, Brunetti.

*Empidideicus indicus*, Brun., R. I. M., <sup>1 2</sup> Simla. XIII, 77, fig. 1 (1917)<sup>1</sup> ; *id.*, F. I. Dipt. Brachy. I, 260<sup>2</sup>.

##### 2. *Geron*, Meigen.

*Geron*, Mg., Syst. Besch., II, 223, (1829) [Genotype, *Bombylius hybridus*, Mg.] ; Sch., F. Aust., I, 68 ; Coq., Tr. Arrer. Ent. Soc., XXI ; Mik, Wien. Ent. Zeit., XIV, 106 [parasitic on Pyralid larva] ; Ald., Cat. N. Amer. Dipt.,

245; Wulp, Cat. Dipt. S. Asia, 75;  
Kert., Cat. Dipt., V, 98; Brun.,  
R. I. M., II, 459; *id.*, F. I. Dipt.  
Brachy. I, 279.

**albescens**, Brunetti.

*Geron albescens* Brun., R. I. M., III, 229 <sup>1, 2</sup> Orissa.  
(1909)<sup>1</sup>; *id.* F. I. Dipt. Brachy. I, <sup>2</sup> Satara.  
280, figs. 17, 18<sup>2</sup>. Abbottabad.

**argentifrons**, Brunetti.

*Geron argentifrons*, Brun., R. I. M., II, <sup>1, 2</sup> Lahore.  
459 (1909)<sup>1</sup>; *id.* F. I. Dipt. Brachy. <sup>1, 2</sup> Bombay.  
I, 279<sup>2</sup>; Howl., Ind. Ins. L., 598 <sup>1, 2</sup> Pusa.  
[parasite of *Laspeyresia*]. <sup>2</sup> Almora.  
<sup>2</sup> Ceylon.

**3. Usia, Latreille.**

*Usia*, Latr., H. N. Crust. Ins., III, 430 (1802)  
[Genotype, *Volucella florea*, Fb.];  
*id.*, loc. cit., XIV, 300; Kert., Cat.  
Dipt., V, 100; Brun., F. I. Dipt.  
Brachy. I, 281.  
*Volucella*, Fb., (*nec* Geoff.), Ent. Syst., IV,  
412, (1794); *id.*, Syst. Antl., 114;  
Mg., Klass., I, 194.

**marginata**, Brunetti.

*Usia marginata*, Brun., R. I. M., III, 228 <sup>1, 2</sup> Simla.  
(1909)<sup>1</sup>; *id.*, F. I. Dipt. Brachy. I,  
283<sup>2</sup>.

**sedophila**, Brunetti.

*Usia sedophila*, Brun., R. I. M., III, 228 <sup>1, 2</sup> Simla.  
(1909)<sup>1</sup>; *id.*, F. I. Dipt. Brachy. I, <sup>2</sup> Phagu.  
282, fig. 19.<sup>2</sup>

**4. Phthiria, Meigen.**

*Phthiria*, Mg., Illig. Mag., II, 268 (1803)  
[Genotype, *Bombylius pulicarius*  
Mikan]; Sch. F. Aust. I, 66; Coq.

- Trans. Amer. Ent. Soc., XXI, 66;  
 Will., Biologia, Dipt. I, 288; Ald.,  
 Cat. N. Amer. Dipt., 239; Wulp,  
 Cat. Dipt. S. Asia, 75; Kert., Cat.  
 Dipt., V, 112; Verr., Br. Flies, V,  
 487; Brun., R. I. M., II, 459; *id.*,  
 F. I. Dipt. Brachy. I, 284.  
*Cyclorhynchus*, Mq., H. N. Dipt., I, 392 (1834);  
*id.*, Dipt. Exot., II, (1) 114.  
*Dasypalpus*, Mq., Dipt. Exot., II, (1) 112  
 (1840).  
*Megapalpus*, Mq., H. N. Dipt., I, 394  
 (1834).  
*Phytiria*, Rond., Arch. Zool. Modena, III, 56  
 (1863).  
*Pocilogathus*, Jaenn., Abh. Senck. Nat.  
 Ges., VI, 350 (1863); *id.*, N. Exot.  
 Dipt., 43.

**gracilis**, Walker.

- Phthiria gracilis*, Wlk., Dipt. Saund., <sup>2, 3, 4</sup> E. India.  
 184 (1852)<sup>1</sup>; Wulp, Cat. Dipt. S. Asia, <sup>5</sup> Simla.  
 75<sup>2</sup>; Kert., Cat. Dipt., V, 113<sup>3</sup>; Brun.,  
 R. I. M., II, 459<sup>4</sup>; *id.*, F. I. Dipt.  
 Brachy. I, 285, fig. 20<sup>5</sup>.

**5. Systoechus, Loew.**

- Systoechus*, Lw., Neue Beitr., III, 34 (1855)  
 [Genotype, *Bombylius sulphureus*,  
 Mik.]; Kert., Cat. Dipt., V, 120;  
 Wulp, Cat. Dipt. S. Asia, 74; O. S.,  
 W. Dipt., 250; Ald., Cat. N. Amer.  
 Dipt., 237; Brun., R. I. M., II, 458;  
*id.*, F. I. Dipt. Brachy. I, 275, fig. 16.

**eupogonatus**, Bigot.

- Systoechus eupogonatus*, Big., Ann. S. <sup>2, 3, 4, 5</sup> Hindostan.  
 Ent. Fr., (7) II, 365 (1892); Wulp, <sup>3</sup> Ceylon.  
 Cat. Dipt. S. Asia, 74<sup>2</sup>; Kert., Cat.  
 Dipt., V, 121<sup>3</sup>; Brun., R. I. M., II,  
 458<sup>4</sup>; *id.*, F. I. Dipt. Brachy. I, 278<sup>5</sup>.



**flavospinosus, Brunetti.**

*Systoechus flavospinosus*, Brun., F. I. <sup>1</sup> S. Shan States.  
Dipt. Brachy. I, 277 (1920)<sup>1</sup>.

**nivalis, Brunetti.**

*Systoechus nivalis*, Brun., R. I. M., VII, <sup>1, 2</sup> Kumaon.  
472 (1912)<sup>1</sup>; *id.*, F. I. Dipt. Brachy.  
I, 277<sup>2</sup>.

**socius, Walker.**

*Bombylius socius*, Wlk., Dipt. Saund., I, <sup>2, 3</sup> E. India.  
201 (1852)<sup>1</sup>; Wulp, Cat. Dipt. S. Asia, <sup>4</sup> Masuri.  
74<sup>2</sup>; Kert., Cat. Dipt., V, 143.<sup>3</sup> <sup>5, 6</sup> Simla District.  
*Systoechus socius*, Brun., R. I. M., II, <sup>6</sup> Kashmir.  
458<sup>4</sup>; *id.*, loc. cit., III, 226<sup>5</sup>; *id.*, F. I. Abbottabad.  
Dipt. Brachy. I, 276<sup>6</sup>. <sup>6</sup> Dehra Dun.  
<sup>6</sup> Kumaon.  
<sup>6</sup> Sikkim.  
<sup>6</sup> Kangra Valley.  
Mohanpur (Bengal).  
Nilgiris.  
<sup>6</sup> Coimbatore.  
<sup>6</sup> Bellary District.

**6. Anastoechus, Osten-Sacken.**

*Anastoechus*, O. S., W. Dipt., 251 (1877)  
[Genotype, *Bombylius nitidulus* F.,  
as *barbatus*, O-S.]; Ald., Cat. N. Amer.  
Dipt., 237; Kert., Cat. Dipt., V, 124;  
Wulp, Cat. Dipt. S. Asia, 74; Brun.,  
R. I. M., II, 458; *id.*, F. I. Dipt.  
Brachy. I, 278.

**longirostris, van der Wulp.**

*Anastoechus longirostris*, Wulp, Leyd. <sup>2, 3, 4, 5</sup> Himalaya.  
Mus. Notes, VII, 85 (1885)<sup>1</sup>; *id.*, Cat.  
Dipt. S. Asia, 74<sup>2</sup>; Kert., Cat. Dipt.,  
V, 124<sup>4</sup>; Brun., R. I. M., II, 458<sup>4</sup>;  
*id.*, F. I. Dipt. Brachy. I, 278<sup>5</sup>.



7. *Bombylius*, Linnaeus.

*Bombylius*, L., Syst. Nat., edn. X, 606 (1758)

[Genotype, *B. major*, L.]; *id.*, F. Succ., 1918; Latr., H. N. Crust. Ins. III, 429; *id.*, loc. cit., XIV, 298; Fb., Syst. Antl., 128; Mg., Syst. Besch., II, 141; Mq. H. N. Dipt. I 377; Sch., F. Aust., I, 58; O-S., W. Dipt., 247; Ald., Cat. N. Amer. Dipt., 235; Wulp, Cat. Dipt. S. Asia, 73; Kert., Cat. Dipt., V, 125; Verr., Br. Flies, V, 491; Brun., R. I. M., II, 456; *id.*, F. I. Dipt. Brachy. I, 261.

*Choristus*, Wlk., Dipt. Saund., I, 196, (1852).

*Parisus*, Wlk., Dipt. Saund., I, 197, (1852).

*albosparsus*, Bigot.

*Bombylius albosparsus*, Big., Ann. S. <sup>2, 3, 4, 5</sup> Pondicherry. Ent. Fr., (7) II, 362 (1892)<sup>1</sup>; Wulp, Cat. Dipt. S. Asia, 74<sup>2</sup>; Kert., Cat. Dipt., V, 125<sup>3</sup>; Brun., R. I. M., II, 457<sup>4</sup>; *id.*, F. I. Dipt. Brachy. I, 270<sup>5</sup>.

*brunettii*, Senior-White.

*Bombylius brunettii*, S.-W., Spol. Zeyl., XII, 203 (1922)<sup>1</sup>.

<sup>1</sup> Matale.  
<sup>1</sup> Opalgalla.  
<sup>1</sup> Habarana.  
<sup>1</sup> Kanthalai.  
<sup>1</sup> Trincomali.  
(All Ceylon.)

*comastes*, Brunetti.

*Bombylius comastes*, Brun., R. I. M., III, 225 (1909)<sup>1</sup>; *id.*, F. I. Dipt. Brachy. I., 268<sup>2</sup>.

<sup>1</sup> Trivandrum.  
<sup>2</sup> Bombay Presidency.  
Tanjore.  
Samalkota.

*erectus*, Brunetti.

*Bombylius erectus*, Brun., R. I. M., II, 457, 480, t. 12, f. 27 (1909)<sup>1</sup>; *id.*, F. I. Dipt. Brachy. I, 267<sup>2</sup>.

<sup>1, 2</sup> Bangalore.

**fulvipes, Bigot.**

- Bombylius fulvipes*, Big., Ann. S. Ent. <sup>2, 3, 4</sup> Pondicherry.  
 Fr., (7) II, 362 (1892); Wulp, Cat. <sup>4, 5</sup> Allahabad.  
 Dipt. S. Asia, 74<sup>2</sup>; Kert., Cat. Dipt., <sup>5</sup> Belgaum.  
 V, 132<sup>3</sup>; Brun., R. I. M., II, 457, 479<sup>4</sup> <sup>5</sup> Lahore.  
 [redescr.]; *id.*, F. I. Dipt. Brachy. I, <sup>5</sup> N. Kanara.  
 271<sup>5</sup>.

**maculatus, Fabricius.**

- Bombylius maculatus*, Fb., Syst. Ent., <sup>2, 4</sup> Tranquebar.  
 803, 6 (1775); Wd., Auss. Zweifl. Ins., <sup>5</sup> Orissa.  
 I, 342, 19; Wulp, Cat. Dipt. S. Asia, <sup>5</sup> Bellary.  
 73<sup>2</sup>; Kert., Cat. Dipt. V, 134<sup>3</sup>; Brun., <sup>5</sup> Coimbatore.  
 R. I. M., II, 456; *id.*, F. I. Dipt. Trichinopoly District.  
 Brachy. I, 267<sup>5</sup>. <sup>3</sup> S. Asia.

**major, Linnaeus.**

- Bombylius major*, L., Syst. Nat. edn. X, <sup>2, 3, 4, 5</sup> Simla District.  
 606 (1758)<sup>1</sup>; *id.*, F. Suec., 1918; *id.*, Murree Hills.  
 Syst. Nat. edn. XII, 11, 1009; Fb.,  
 Spec. Ins., II, 472; *id.*, Ent. Syst., <sup>2</sup> N. America.  
 IV, 407; *id.*, Syst. Antl., 128; Gmel., <sup>2</sup> Europe.  
 Syst. Nat., V, 2902; Mg., Syst. Besch., <sup>2</sup> N. Africa.  
 II, 144 [bibliog.]; Mq., H. N. Dipt., I, <sup>2</sup> Japan.  
 377; Zett., Dipt. Scand., I, 188;  
 Sch., F. Austr., I, 60; Kirby, F. Bor-  
 Amer., Ins., 312; *id.*, Can. Ent.,  
 XIII, 166; Lw., Neue Beitr., III, 14  
 [notes]; O.-S., W. Dipt., 248; Coq.,  
 Tr. Amer. Ent. Soc., XXI, 110; Ald.,  
 Cat. N. Amer. Dipt., 236; Verr., Br.  
 Flies, V, 497, fig. 290; Kert., Cat.  
 Dipt., V, 134<sup>2</sup>; Brun., R. I. M., I,  
 168<sup>3</sup>; *id.*, loc. cit., II, 457<sup>4</sup>; *id.*, F. I.  
 Dipt. Brachy. I, 265<sup>5</sup>.  
*Bombylius albipectus*, Mq., Dipt. Exot.,  
 supp. V, 82, t. 4, f. 10 (?1846).  
*Bombylius fratellus*, Wd., Auss. Zweifl.  
 Ins., I, 583 (1828).  
*Bombylius sinuatus*, Mg., Klass., 179  
 (?1800); Mik, Monog. Bombyl. Bohem.  
 35, t. 2, f. 4.

*Bombylius variegatus*, de Geer, Mem.

H. N. Ins., VI, 107, t. 14, f. 10 (1782).

*Bombylius vicinus*, Mq., Dipt. Exot., II,  
i, 98 (1840).

**orientalis**, Macquart.

*Bombylius orientalis*, Mq., Dipt. Exot., <sup>3, 7, 4, 5</sup> Bengal.

II, i, 90, t. 6, f. 2 (1840)<sup>1</sup>; Wulp, Cat. <sup>4, 5</sup> Bangalore.

Dipt. S. Asia 74<sup>2</sup>; Kert., Cat. Dipt., <sup>5</sup> Coorg.

V, 139<sup>3</sup>; Brun., R. I. M., II, 456<sup>4</sup>; *id.*, <sup>5</sup> Cawnpore.

F. I. Dipt. Brachy. I, 263<sup>5</sup>, fig. 14; <sup>5</sup> Karikkupam.

Howl., Ind. Ins. L., t. 63, f. 1. <sup>5</sup> Dehra Dun.

*Bombylius tricolor*, Guer., Icon. Regne <sup>5</sup> Bellary District.

Anim., III, 538, t. 95 (1828-1838); Palamau.

Wulp, Cat. Dipt. S. Asia, 74<sup>6</sup>; Kert., Chapra.

Cat. Dipt., V, 144<sup>7</sup>. <sup>2, 3</sup> E. India.

<sup>6</sup> Java.

**propinquus**, Brunetti.

*Bombylius propinquus*, Brun., R. I. M., <sup>1, 2, 3</sup> Ceylon.

III, 226 (1909)<sup>1</sup>; *id.*, Spol. Zeyl., VI,

171<sup>2</sup>; *id.*, F. I. Dipt. Brachy., I, 272<sup>3</sup>.

**pseudoterminalis**, *nom. nov.*

*Bombylius vicinus*, Brun. [*nec.* Mq.], <sup>1, 3</sup> Allahabad.

R. I. M., II, 457, 480 (1909)<sup>1</sup>; *id.*, <sup>2</sup> Nepal Terai.

*loc. cit.*, III, 226<sup>2</sup>; *id.*, F. I. Dipt.

Brachy. I, 270<sup>3</sup>.

**terminalis**, Brunetti.

*Bombylius terminalis*, Brun., R. I. M., <sup>1, 2</sup> Allahabad.

II, 457, 479 (1909)<sup>1</sup>; *id.*, F. I. Dipt. <sup>2</sup> Lahore.

Brachy. I, 270<sup>2</sup>.

**wulpii**, Brunetti.

*Bombylius pulchellus*, Wulp [*nec.* Lw.], <sup>3, 4, 5, 6, 7</sup> Ceylon.

Tijd. v. Ent. XXIII, 164, t. 10, f. 8 <sup>5</sup> Tenmalai.

(1880)<sup>1</sup>; *id.*, Leyd. Mus. Notes, VII, <sup>7</sup> Dehra Dun.

15. <sup>7</sup> Bellary District.

*Comastes pulchellus*, Wulp, Cat. Dipt. S. <sup>7</sup> Orissa.

Asia, 74<sup>2</sup>. <sup>7</sup> N. Kanara.



- Eucharimyia pulchellus*, Kert., Cat. Dipt. V, 147<sup>3</sup>. <sup>7, 8</sup> Travancore.  
<sup>7</sup> Cochin State.  
*Eucharimyia dives*, Big., Ann. S. Ent. Fr., (6) VIII, Bull. p. cxi. (1888); <sup>7</sup> Coimbatore District.  
<sup>7</sup> Upper Burma.  
Wulp, Cat. Dipt. S. Asia, 73<sup>4</sup>.  
*Bombylius scintillans*, Brun., R. I. M., III, 224 (1909)<sup>8</sup>. <sup>2, 3, 5</sup> Java.  
*Bombylius wulpi*, Brun., R. I. I., II, 457 (1909)<sup>5</sup>; *id.*, loc. cit., III, 226<sup>6</sup>;  
*id.*, F. I. Dipt. Brachy. I, 264<sup>7</sup>.

### 8. *Dischistus*, Loew.

- Dischistus*, Lw., Neue Beitr., III, 45, (1855)  
[Genotype, *Bo. bylius minimus*,  
Schrk.]; Kert., Cat. Dipt., V, 116;  
Brun., F. I. Dipt. Brachy. I, 273.  
*Bombylisoma*, Rend., Dipt. Ital. Prodr.,  
i, 164 (1856) [*nec. id.*, Arch. Zool.  
Modena, III, 67 (1863)].  
*Bombylosoma*, Marschall, Nomencl. Zool.,  
323 (1873).  
*Bombylosoma*, Verr. *apud* Scudder,  
Nomencl. Zool., 47 (1882).

### *ardens*, Walker.

- Bombylius ardens*, Wlk., List Dipt. B. M., <sup>2, 3, 4</sup> E. India.  
II, 284 (1849)<sup>1</sup>; Wulp, Cat. Dipt. S.  
Asia, 74<sup>2</sup>; Kert., Cat. Dipt., V, 126<sup>3</sup>.  
*Systoechus ardens*, Brun., R. I. M., II,  
458.  
*Dischistus ardens*, Brun., F. I. Dipt.  
Brachy. I, 275<sup>4</sup>.

### *resplendens*, Brunetti.

- Dischistus resplendens*, Brun., R. I. M., <sup>1, 2, 3</sup> Simla Hills.  
II, 458, 481 (1909)<sup>1</sup>; *id.*, loc. cit., III, <sup>1, 3</sup> Nepal.  
226; *id.*, F. I. Dipt. Brachy. I, 273, <sup>1, 3</sup> Naini Tal.  
fig. 15<sup>3</sup>, <sup>1, 3</sup> Assam.  
<sup>3</sup> Dehra Dun.  
<sup>3</sup> Ceylon, E. Prov.

## LOMATINÆ.

Verrall, Br. Flies, V, 506; Brun., F. I.  
Dipt. Brachy. I, 255.

9. *Aphoebantus*, Loew.

*Aphaebantus*, Lw., Cent., X, 39, (1872)  
[Genotype, *A. cervinus*, Lw.]; O.-S.,  
Biologia, I, 143-146; Coq., Can. Ent.,  
XVIII, 84; *id.*, Trans. Amer. Ent.  
Soc., XXI, 104; *id.*, W. Amer. Sci.,  
1891, 256; Will., Biologia, I, 285,  
[notes]; Ald., Cat. N. Amer. Dipt.,  
242; Brun., F. I. Dipt. Brachy. I,  
256.

*Triodites*, O.-S., Bull. U. S. Geol. Surv., III,  
245 (1877).

*ceylonicus*, Brunetti.

*Argyramoeba ceylonica*, Brun., R. I. M., 1, 2, 3 Ceylon.  
II, 450, 471, t. 12, f. 24 (1909)<sup>1</sup>; *id.*, 1 Trivandrum.  
Spol. Zeyl., VI, 171<sup>2</sup>. 1, 3 Pusa.  
*Aphoebantus ceylonicus*, Brun. F. I. 3 Darjiling District.  
Dipt. Brachy. I, 257<sup>3</sup>. 3 Allahabad.  
3 Chapra.  
Abbottabad.

## TOXOPHORINÆ.

Verr., Br. Flies, V, 509; Brun., F. I.  
Dipt. Brachy. I, 286.

10. *Toxophora* Meigen.

*Toxophora*, Mg., Illig. Mag., II, 270, (1803)  
[Genotype, *Asilus maculatus*, Rossi];  
*id.*, Klass., 1804; *id.*, Syst. Besch.,  
II, 178; Sch., F. Austr., I, 69; Coq.,  
Entomol. Amer., I, 1886, 221; *id.*,  
W. Amer. Sci. 1891, 199; Glover,  
Entomol. Rpt., 1866, 45 [reared from

*Eumenes* nest]; *id.*, *loc. cit.*, 1870, 78;  
*id.*, *loc. cit.*, 1877, 105, [preying on  
*Bembex*]; Wulp, Cat. Dipt. S. Asia,  
 74; Kert., Cat. Dipt., V, 91; Brun.,  
 R. I. M., II, 458; *id.*, F. I. Dipt.  
 Brachy. I, 287.

**javana, Wiedemann.**

*Toxophora javana*, Wd., Dipt. Exot., <sup>3, 4</sup> Calcutta.  
 179 (1821); *id.*, Auss. Zweifl. Ins., I, <sup>4</sup> Allahabad.  
 363; Mq., Suit. à Buff., 387, 2; Wulp, <sup>4</sup> Madras.  
 Cat. Dipt. S. Asia, 74<sup>1</sup>; Meij., Tijd.  
 v. Ent., LIII, 66; Brun., R. I. M.,  
 II, 458, t. 12 f. 28<sup>3</sup>; *id.*, F. I. Dipt. <sup>2, 4</sup> Java.  
 Brachy. I, 287, t. 3 f. 16<sup>4</sup>.

**SYSTROPINÆ.**

Verr., Br. Flies, V, 513; Brun., F. I. Dipt.  
 Brachy. I, 289.

**11. Systropus, Wiedemann.**

- Systropus*, Wd., Nov. Gen. Dipt., 18, (1829)  
 [Genotype, *S. macilentus*, Wd.]; *id.*,  
 Auss. Zweifl. Ins., I, 359; Mq., H. N.  
 Dipt., I, 391; O.-S., Biologia, I, 157  
 [notes]; Towns., Trans. Amer. Ent.  
 Soc., XXVII, 160; Will., Biologia,  
 I, 292; Ald., Cat. N. Amer. Dipt., 244;  
 Wulp, Cat. Dipt. S. Asia, 74; Kert.,  
 Cat. Dipt., V, 93; Brun., R. I. M., II,  
 459; *id.*, F. I. Dipt. Brachy. I, 289.
- Cephenus*, Latr., Fam. Nat., 496 (1825);  
 Karsch, Zeit. Berl. Ent. Ges., LIII,  
 657; Wandoll., Ent. Nacht., XXIII,  
 198.
- Xystropus*, Verr. *apud* Scudder, Nomencl.,  
 355 (1882); Verr., Br. Flies, V, 514.  
 [note].



**edwardsi, Brunetti.**

*Systropus edwardsi*, Brun., F. I. Dipt. <sup>1</sup> Burma.  
Brachy. I, 294 (1920)<sup>1</sup>.

**eumenoides, Westwood.**

*Systropus eumenoides*, Wstwd., Guérin <sup>2, 3, 4</sup> Ind. Or.  
Mag. Zool., 1842, 4, t. 90 (1842)<sup>1</sup>; *id.*, <sup>5</sup> N. India.  
Trans. Ent. Soc., Lon., 1876, 575,  
t. 10, ff. 13-15; Wulp, Cat. Dipt. S.  
Asia, 74<sup>2</sup>; Kert., Cat. Dipt., V, 94<sup>3</sup>;  
Brun., R. I. M., II, 459<sup>4</sup>; *id.*, F. I.  
Dipt. Brachy. I, 294<sup>5</sup>.

**flavipleura, Brunetti.**

*Inset 5 year Systropus flavipleura*, Brun., Lebong.  
F. I. Dipt. Brachy., I, 295 (1920)<sup>1</sup>. <sup>1</sup> Sikkim.  
<sup>1</sup> Khasis.  
Shillong.

**ophioneus, Westwood.**

*Systropus ophionius*, Wstwd., Trans. <sup>2, 3, 4</sup> Ind. Or.  
Ent. Soc., Lon., V, 233, t. 23, f. 6 <sup>5, 6</sup> Nepal.  
(1849)<sup>1</sup>; *id.*, *loc. cit.*, 1876, 574; Wulp, <sup>5, 6</sup> Masuri.  
Cat. Dipt. S. Asia, 74<sup>2</sup>; Kert., Cat. <sup>5</sup> Darjiling District.  
Dipt., V, 95<sup>3</sup>; Brun., R. I. M., II, 459<sup>4</sup>; <sup>5</sup> Shillong.  
*id.*, F. I. Dipt. Brachy. I, 291, fig. 21<sup>5</sup>.  
*Systropus nigricaudus*, Brun., R. I. M.,  
II, 460, 483, (1909)<sup>6</sup>.

**ANTHRACINÆ.**

Verr., Br. Flies, V, 515; Brun., F. I. Dipt.  
Brachy. I, 176-178 [tab. genera].

**12. Anthrax, Scopoli.**

*Anthrax*, Scop., Ent. Carn., 358, (1763)  
[Genotype, *A. morio*, Fb.]; Fb., Syst.  
Antl., 118, (1805); Mg., Syst. Besch.,

- II, 107; Sch. F. Austr., I, 48;  
 Coq., Trans. Amer. Ent. Soc., XIV  
 159; *id.*, loc. cit., XIX, 170; *id.*,  
 loc. cit., XXI, 97; Ald., Cat. Dipt.  
 N. Amer., 228; O.-S., Biologia, I,  
 111-140 [subgenera]; Wulp, Cat. Dipt.  
 S. Asia, 71; Kert., Cat. Dipt., V, 25;  
 Verr., Br. Flies, V, 518; Brun., R. I.  
 M., II, 451-456; *id.*, F. I. Dipt.  
 Brachy. I, 234-236.  
*Aspiloptera*, Kunckel, Bull. Soc. Fr. Belg.  
 XXXIX, 145 [note] (1905).  
*Chrysanthrax*, O.-S., Biologia, 121 (1886).  
*Dipalta*, O.-S., Bull. U. S. Geol. Surv., III,  
 236 (1877); Coq., Can. Ent., 1886,  
 157; *id.*, Trans. Amer. Ent. Soc.,  
 XIV, 159; *id.*, loc. cit., XIX, 169;  
 Will., Biologia, I, 275; Ald., Cat. N.  
 Amer., Dipt., 227.  
*Hemipenthes*, Lw., Berl. Ent. Zeit., XIII,  
 28 [note] (1869).  
*Hyalanthrax*, O.-S., Biologia, 134 (1877).  
*Isopenthes*, O.-S., Biologia, 80, 96 (1886).  
 ?*Paranthrax*, Big., Bull. Soc. Ent. Fr., (5)  
 VI, lxvi (1876).  
*Poecilanthrax*, O.-S., Biologia, 119 (1886).  
*Stonyx*, O.-S., Biologia, 80, 94 (1886).  
*Thyridanthrax*, O.-S., Biologia, 123 (1886).  
*Villa*, Liroy, Atti. Istit. Veneto, (3) IX, 732  
 (1864).

**afra**, Fabricius.

- Anthrax afra*, Fb., Ent. Syst., IV, 258<sup>2</sup>, <sup>3</sup> E. India.  
 (1794); *id.*, Syst. Antl., 122, 15; Sch., <sup>4</sup> Jubbulpore.  
 F. Austr., I, 50; Wulp, Cat. Dipt. <sup>4</sup> Poona.  
 S. Asia, 71<sup>2</sup>; Kert., Cat. Dipt., V, <sup>4</sup>, <sup>6</sup> Meerut.  
 27<sup>3</sup>; Brun., R. I. M., II, 451<sup>4</sup>; *id.*, <sup>4</sup> Jhansi.  
 loc. cit., III, 222<sup>5</sup>; *id.*, F. I. Dipt. <sup>4</sup>, <sup>6</sup> L. Burma.  
 Brachy. I, 240<sup>6</sup>. <sup>4</sup>, <sup>6</sup> Orissa.  
*Anthrax fimbriata*, Mg., Klass., I, 205, <sup>4</sup>, <sup>5</sup>, <sup>6</sup> Gonda, U. P.  
 (1804); *id.*, Syst. Besch., II, 154, t. 17, <sup>4</sup>, <sup>6</sup> Allahabad.

f. 13; Mq., Suit. à Buff., I, 405, 16; <sup>4, 6</sup> N. Bihar.  
*id.*, Dipt. Exot., II, 162, 18.

<sup>6</sup> Dehra Dun.  
<sup>6</sup> Anamalais.  
<sup>6</sup> Satara District.  
<sup>6</sup> Madhupur.  
<sup>6</sup> Ferozepore.  
<sup>6</sup> Madras.  
<sup>6</sup> Trincemali.  
<sup>6</sup> Andamans.

<sup>2, 3</sup> Europe.  
<sup>2, 3</sup> N. & W. Africa.  
<sup>3</sup> Oceania.

**albofulva**, Walker.

*Anthrax albofulva*, Wlk., Dipt. Saund., <sup>2, 3</sup> E. India.  
 (3) 182 (1852); Wulp. Cat. Dipt. S. <sup>4</sup> Muttra.  
 Asia, 72<sup>2</sup>; Kert., Cat. Dipt., V, 28<sup>3</sup>; <sup>4</sup> Meerut.  
 Brun., R. I. M., II, 454<sup>4</sup>; *id.*, F. I. <sup>4</sup> Ferozepore.  
 Dipt. Brachy. I, 251. <sup>4</sup> Allahabad.

**aperta**, Walker.

*Anthrax aperta*, Wlk., Dipt. Saund., I, <sup>2, 3</sup> E. India.  
 180 (1852); Wulp. Cat. Dipt. S. Asia, <sup>4, 6</sup> Masuri.  
 72<sup>2</sup>; Kert., Cat. Dipt., V, 29<sup>3</sup>; Brun., <sup>5, 6</sup> Simla.  
 R. I. M., II, 453, 475<sup>4</sup> [redeser.]; *id.*, <sup>6</sup> Dehra Dun.  
*loc. cit.*, III, 223<sup>5</sup>; *id.*, F. I. Dipt. <sup>6</sup> Khasis.  
 Brachy. I, 245<sup>6</sup>. <sup>6</sup> Dawnat Range.  
*Argyramoeba aperta*, Howl., Ind. Ins. L.,  
 t. 63, f. 2.

**approximata**, Brunetti.

*Anthrax approximata*, Brun., R. I. M., <sup>1, 2</sup> Simla.  
 XIII, 74 (1917)<sup>1</sup>; *id.*, F. I. Dipt. <sup>1</sup> Abbottabad.  
 Brachy. I, 244<sup>2</sup>. <sup>1, 2</sup> Siliguri.  
*Anthrax* (?) *clara* var., Brun., R. I. M., <sup>1</sup> Pusa.  
 II, 474<sup>3</sup>. <sup>1, 2, 3</sup> Tenasserim.  
<sup>1, 2</sup> Khasis.  
<sup>1, 2</sup> Ceylon, E. P.



**aureohirta**, Brunetti.

*Anthrax aureohirta*, Brun., R. I. M., III, <sup>1, 2</sup> Calcutta.  
223 (1909)<sup>1</sup>; *id.*, F. I. Dipt. Brachy.  
I, 252<sup>2</sup>.

**baluchianus**, Brunetti.

*Anthrax baluchianus*, Brun., F. I. Dipt. <sup>1</sup> Baluchistan.  
Brachy. I, 250<sup>1</sup> (1920). <sup>1</sup> Kashmir.  
<sup>1</sup> Bahist Khal.  
<sup>1</sup> Bhattani.

**clara**, Walker.

*Anthrax clara*, Wlk., Dipt. Saund., (3) <sup>2, 3</sup> E. India.  
179 (1852); Wulp, Cat. Dipt. S. Asia, <sup>4, 5</sup> Dehra Dun.  
72<sup>2</sup>; Kert., Cat. Dipt., V, 32<sup>3</sup>; Brun., <sup>4, 5</sup> Gahrwal.  
R. I. M., II, 452, 473<sup>4</sup> [redescr.]; <sup>5</sup> W. Himalaya.  
*id.*, F. I. Dipt. Brachy. I, 243<sup>5</sup>. <sup>5</sup> Khasis.

**clausa**, Brunetti.

*Anthrax clausa*, Brun., R. I. M., II, 454, <sup>1, 2</sup> L. Burma.  
477<sup>1</sup> (1909); *id.*, F. I. Dipt. Brachy.  
I, 253.

**dia**, Wiedemann.

*Anthrax dia*, Wd., Anal. Ent., 23 (1824)<sup>1</sup>; <sup>2, 3, 4, 5</sup> Tranquebar.  
*id.*, Auss. Zweifl. Ins., I, 293; Wulp,  
Cat. Dipt. S. Asia, 71<sup>2</sup>; Kert., Cat.  
Dipt., V, 34<sup>3</sup>; Brun., R. I. M., II,  
453<sup>4</sup>; *id.*, F. I. Dipt. Brachy. I, 250<sup>5</sup>.

**fletcheri**, Brunetti.

*Anthrax fletcheri*, Brun., F. I. Dipt. <sup>1</sup> Mysore.<sup>1</sup>  
Brachy. I, 236 (1920)<sup>1</sup>. Habarane.  
Trincomali (White)

**fuscolimbata**, Brunetti.

*Anthrax fuscolimbata*, Brun., R. I. M., Hangu (N.-W. F. P.).  
XIII, 75 (1917)<sup>1</sup>; *id.*, F. I. Dipt. <sup>1, 2</sup> Simla.  
Brachy. I, 246<sup>2</sup>. <sup>1, 2</sup> Masuri.  
<sup>1, 2</sup> Madras.]

**guttatipennis**, Brunetti.

*Anthrax guttatipennis*, Brun., F. I. Dipt. <sup>1</sup> Trincomali.  
Brachy. I, 237 (1920)<sup>1</sup>.

**himalayensis**, Brunetti.

*Anthrax himalayensis*, Brun., R. I. M., <sup>1, 2, 3</sup> Naini Tal.  
III, 222, fig. (1909)<sup>1</sup>. <sup>2</sup> Simla District.  
*Anthrax himalayanus*, Brun., F. I. Dipt. <sup>2</sup> Khasis.  
Brachy., I, 238<sup>2</sup> [*lapsus*].  
*Anthrax maura*, Brun. [*nec. L.*], R. I. M.,  
II, 451<sup>3</sup>.

**hottentota**, Linnæus var. **claripennis**,

Brunetti.

*Anthrax hottentota* var. *claripennis*, Brun., <sup>1, 2</sup> Naini Tal (plains).  
R. I. M., II, 452 (1909)<sup>1</sup>; *id.*, F. I.  
Dipt. Brachy. I, 247<sup>2</sup>.

**leucopygus**, Macquart.

*Anthrax leucopyga*, Mq., Dipt. Exot., II, <sup>4</sup> Jubbulpore.  
74, t. 21, f. 1 (1842)<sup>1</sup>; Wulp, Cat. Dipt. <sup>4</sup> Itarsi.  
S. Asia, 71<sup>2</sup>; Kert., Cat. Dipt., V, 43<sup>3</sup>; <sup>4</sup> Poona.  
Brun., R. I. M., II, 453<sup>4</sup>. <sup>4</sup> Allahabad.  
[Omitted from the "Fauna of India"  
volume.] <sup>2, 3</sup> Timor.

**limpida**, Walker.

*Anthrax limpida*, Wlk., Dipt. Saund., <sup>2, 3, 4, 5</sup> E. India.  
(3) 179 (1853); Wulp, Cat. Dipt. S.  
Asia, 72<sup>2</sup>; Kert., Cat. Dipt., V, 44<sup>3</sup>;  
Brun., R. I. M., II, 453<sup>4</sup>; *id.*, F. I.  
Dipt. Brachy. I, 255<sup>5</sup>.

**lucida**, Walker.

*Anthrax lucida*, Wlk., Dipt. Saund., (3), <sup>2, 3, 4, 5</sup> E. India.  
179 (1852); Wulp, Cat. Dipt. S. Asia,  
72<sup>2</sup>; Kert., Cat. Dipt., V, 44<sup>3</sup>; Brun.,  
R. I. M., II, 453<sup>4</sup>; *id.*, F. I. Dipt.  
Brachy. I, 254<sup>5</sup>.

**manifesta**, Walker.

- Anthrax manifesta*, Wlk., Dipt. Saund., <sup>2, 3, 4</sup> E. India.  
 I, 178 (1852); Wulp, Cat. Dipt. S. <sup>4</sup> Masuri.  
 Asia, 72<sup>2</sup>; Kert., Cat. Dipt., V, 45<sup>3</sup>; <sup>5</sup> Himalaya.  
 Brun., R. I. M., II, 453, 476<sup>4</sup>; *id.*, F. I. <sup>5</sup> Dehra Dun.  
 Dipt. Brachy. I, 243<sup>5</sup>. <sup>5</sup> Garhwal.  
<sup>5</sup> Khasis.

**paniscus**, Rossi.

- Bibio paniscus*, Ross., F. Etrus., II, 256 <sup>3, 4</sup> Simla.  
 (1790)<sup>1</sup>. <sup>3, 4</sup> Naini Tal.  
*Anthrax paniscus*, Verr., Br. Flies, V, <sup>3</sup> Masuri.  
 526; Kert., Cat. Dipt., V, 50<sup>2</sup>; Brun.,  
 R. I. M., II, 452<sup>3</sup>; *id.*, F. I. Dipt.  
 Brachy. I, 248<sup>4</sup>.  
*Anthrax bimaculatus*, Mq., Suit. à Buff.,  
 I, 403 (1834).  
*Anthrax cingulatus*, Mg., Syst. Besch., <sup>2</sup> Europe.  
 II, 145 (1820).  
*Anthrax hottentotus*, Wlk. [*nec. L.*], List  
 Dipt. B. M., II, 259 (1849).

**referrens**, Walker.

- Anthrax referrens*, Wlk., Dipt. Saund., <sup>2, 3, 4, 5</sup> E. India.  
 (3) 189 (1852); Wulp, Cat. Dipt. S.  
 Asia, 72<sup>2</sup>; Kert., Cat. Dipt., V, 52<sup>3</sup>;  
 Brun., R. I. M., II, 452<sup>4</sup>; *id.*, F. I.  
 Dipt. Brachy. I, 255<sup>5</sup>.

**semifuscata**, Brunetti.

- Anthrax semifuscata*, Brun., F. I. Dipt. <sup>1</sup> Trincomali.  
 Brachy., I, 241 (1920)<sup>1</sup>.

**troglodyta**, Fabricius.

- Bibio troglodyta*, Fb., Syst. Ent., 759 <sup>3, 5</sup> E. Indies.  
 (1775)<sup>1</sup>. <sup>3, 4</sup> E. India.  
*Anthrax troglodyta*, Wd., Auss. Zweifl.  
 Ins., I, 306; Wulp, Notes Leyd. Mus.,  
 VII, 83; *id.*, Cat. Dipt. S. Asia, 71<sup>2</sup>;  
 Meij., Tijds. v. Ent. L, 240; Brun.,



R. I. M., I, 452<sup>3</sup>; *id.*, F. I. Dipt.  
Brachy. I, 254<sup>4</sup>; Kert., Cat. Dipt., V,  
56<sup>5</sup>.

*Anthrax hyalina*, Wd., Dipt. Exot., I, <sup>2, 3</sup> Java.  
141, 34 (1821); *id.*, Auss. Zweifl. Ins., <sup>2</sup> Sumatra.  
I, 297; Wulp, Tijd. v. Ent., XXIII,  
165. <sup>3, 5</sup> Papua.  
<sup>5</sup> Ind. Archip.

*Anthrax lucens*, Wlk., Dipt. Saund. 180,  
(1852).

### 13. *Lepidanthrax*, Osten-Sacken.

*Lepidanthrax*, O.-S., Biologia, I, 107 (1886)  
[Genotype, *Anthrax disjuncta*, Wd.];  
Coq., Trans. Amer. Ent. Soc., XIX,  
169; Ald., Cat. N. Amer. Dipt., 227;  
Brun., F. I. Dipt. Brachy. I, 232.

*compacta*, Brunetti.

*Lepidanthrax compacta*, Brun., F. I. <sup>1</sup> Allahabad.  
Dipt. Brachy. I, 233 (1920)<sup>1</sup>.

*transversa*, Brunetti.

*Lepidanthrax transversa*, Brun., F. I. <sup>1</sup> Dehra Dun.  
Dipt. Brachy. I, 233 (1920)<sup>1</sup>.

### 14. *Argyromoeba*, Schiner.

*Argyromoeba*, Sch., Wien. Ent. Monat., IV,  
5 (1860) [Genotype, *Anthrax tripunc-*  
*tata*, Wd.]; *id.*, F. Austr., I, 52; Lw.,  
Besch. Europ. Dipt., I, 228.

*Argyromoeba*, Lw., Centur., II, 290 [emend.];  
Wulp, Cat. Dipt. S. Asia, 73; Kert.,  
Cat. Dipt., V, 59 [*Agyromoeba, laps.*];  
Brun., R. I. M., II, 448, 450; *id.*, F. I.  
Dipt. Brachy. I, 214.

*Spogostylum*, Will. [nee. Mq.], Man. N. Amer.  
Dipt., (2nd edn.), 65, (1896); *id.*, *loc.*  
*cit.*, (3rd edn.); 214, Ald., Cat. N.  
Amer. Dipt., 221.

**argentiapicalis**, Brunetti.

- Argyramoeba argentiapicalis*, Brun., R. <sup>1, 2</sup> Mahableshtar.  
 I. M., VII, 470, t. 37, f. 6 (1912)<sup>1</sup>; *id.*,  
 F. I. Dipt. Brachy. I, 227, Pl. III,  
 14<sup>2</sup>.

**bigoti**, Brunetti.

- Argyramoeba appendiculata*, Big. [*nec.* <sup>1, 2, 3, 4, 5</sup> Pondicherry.  
 Mq.], Ann. S. Ent. Fr. (7) II, 347  
 (1892)<sup>1</sup>; Wulp, Cat. Dipt. S. Asia, 73<sup>2</sup>;  
 Kert., Cat. Dipt., V, 61<sup>3</sup>; Brun., R. I.  
 M., II, 449<sup>4</sup>.  
*Argyramoeba bigoti*, Brun., R. I. Dipt.  
 Brachy. I, 222 (1920)<sup>5</sup>.

**bipunctata**, Fabricius.

- Anthrax bipunctata*, Fb., Syst. Antl., 118 <sup>2, 3, 4</sup> Tranquebar.  
 (1805)<sup>1</sup>; Wd., Auss. Zweifl. Ins., I, <sup>4, 6</sup> Karachi.  
 286; Wulp, Cat. Dipt. S. Asia, 71<sup>2</sup>. <sup>4, 6</sup> Purneah  
*Argyramoeba bipunctata*, Kert., Cat. <sup>5, 7</sup> E. India.  
 Dipt. V, 62<sup>3</sup>; Brun., R. I. M., II, 448<sup>4</sup>; <sup>6</sup> Calcutta.  
 t. 12, f. 23; *id.*, F. I. Dipt. Brachy. I, <sup>6</sup> Kumaon.  
 217<sup>6</sup>. <sup>6</sup> Pusa.  
*Anthrax carbonaria*, Wlk., Dipt. Saund., <sup>6</sup> Chapra.  
 173 (1852); Wulp, Cat. Dipt. S. Asia, <sup>6</sup> Bombay.  
 72<sup>5</sup>; Kert., Cat. Dipt., V, 31<sup>7</sup>. <sup>6</sup> Assam.  
<sup>6</sup> Konan Kuppam.

**claripennis**, Brunetti.

- Argyramoeba claripennis*, Brun., R. I. M., <sup>1, 2</sup> Lahore.  
 III, 218 (1909)<sup>1</sup>; *id.*, F. I. Dipt.  
 Brachy. I, 228<sup>2</sup>.

**distigma**, Wiedemann.

- Anthrax distigma*, Wd. Auss. Zweifl. Ins., <sup>8</sup> Matheran.  
 I, 309 (1828)<sup>1</sup>; Mq., Dipt. Exot., II, <sup>4</sup> Jullundur.  
 1, 58, 9. <sup>4, 7</sup> Bengal.  
*Spogostylum distigma*, Coq., Proc. U. S. <sup>4</sup> Allahabad.  
 Nat. Mus., XXI, 318. <sup>4</sup> Bombay.

- Argyramoeba distigma*, Sch., Novara 5, 7 Paresnath.  
 Reise, 122, 14; Wulp, Tijds. v. Ent., 5, 7 Naini Tal District.  
 XXIII, 166, 19; *id.*, Leyd. Mus. 6, 7 Ceylon.  
 Notes, VII, 83, 38; *id.*, Cat. Dipt. S. 7 Hamirpur.  
 Asia, 73<sup>2</sup>; O.-S., Berl. Ent. Zeit., 7 Madras.  
 XXVI, 122; Kert., Cat. Dipt., V, 63<sup>3</sup>; 7 Utakamund.  
 Brun., R. I. M., II, 449<sup>4</sup>; *id.*, loc. cit., 7 Mettupalaiyam.  
 III, 221<sup>5</sup>; *id.*, Spol. Zeyl., VI, 171<sup>6</sup>; 7 Khasis.  
*id.*, F. I. Dipt. Brachy. I, 218, t. 3, f. 7 L. Burma.  
 10<sup>7</sup>; Meij., Tijds. v. Ent. L, 241 (1907); 4, 7 Darjiling.  
 Howl., Ind. Ins. L., 598; Longst., 4 Dehra Dun.  
 Butterfly Hunting, 393<sup>8</sup>; Dutt, Pusa 4, 7 Lucknow.  
 Ent. Mem., IV, 212 [notes]. 4, 7 Bangalore.  
 3, 4 Nicobars.

- 
- 2, 4 Java.  
 2, 4 Sumatra.  
 2, 4 Celebes.  
 2, 3, 4 Philippines.  
 2, 3, 4 New Guinea.

*duvaucelii*, Macquart.

- Anthrax duvaucelii*, Mq., Dipt. Exot., 2, 3, 4 Bengal.  
 II, 63, t. 20, f. 7 (1840)<sup>1</sup>; Wulp, Cat. 4, 5, 6 Purneah.  
 Dipt. S. Asia, 71<sup>2</sup>; Kert., Cat. Dipt., 4 Cawnpore.  
 V, 35<sup>3</sup>; Brun., R. I. M., II, 452<sup>4</sup>. 4, 5 Chapra.  
*Argyramoeba duvaucelii*, Brun., R. I. M., 5, 6 Baraich, U. P.  
 III, 219<sup>5</sup> [redescr.]; *id.*, F. I. Dipt. 6 Kangra Valley.  
 Brachy. I, 225<sup>6</sup>. 6 Pusa.  
 6 Lahore.  
 6 Murree Hills.  
 Peshawar.  
 6 Allahabad.

*gentilis*, Brunetti.

- Argyramoeba gentilis* Brun. R. I. M., 1, 2 Laksam.  
 II, 449, 470, t. 12, f. 25 (1909)<sup>1</sup>; *id.*, 1, 2 Margherita.  
 F. I. Dipt. Brachy. I, 230<sup>2</sup>.

**gestroi, Brunetti.**

- Argyramoeba gestroi*, Brun., R. I. M., <sup>1</sup> Bombay Presidency.  
 VII, 470, t. 37, f. 7 (1912)<sup>1</sup>; *id.*, F. I. <sup>2</sup> Satara District.  
 Dipt. Brachy. I, 222<sup>2</sup>. <sup>2</sup> Travancore.  
<sup>2</sup> Bangalore.  
<sup>2</sup> Chapra.  
 Pusa.  
 Peshawar.

**instituta, Walker.**

- Anthrax instituta*, Wlk., Dipt. Saund., <sup>2</sup>, <sup>3</sup>, <sup>4</sup>, <sup>5</sup> E. India.  
 183 (1852)<sup>1</sup>; Wulp, Cat. Dipt. S. Asia,  
 72<sup>2</sup>; Kert., Cat. Dipt., V, 42<sup>3</sup>.  
*Argyramoeba instituta*, Brun., R. I. M.,  
 II, 450<sup>4</sup>; *id.*, F. I. Dipt. Brachy., I,  
 227<sup>5</sup>.

**intermedia, Brunetti.**

- Argyramoeba intermedia*, Brun., F. I. <sup>1</sup> Orissa.  
 Dipt. Brachy., I, 221 (1920)<sup>1</sup>. <sup>1</sup> Allahabad.  
<sup>1</sup> Trincomali.

**limitarsis, Brunetti.**

- Argyramoeba limitarsis*, Brun., R. I. M., <sup>1</sup>, <sup>2</sup> Garhwal.  
 III, 217 (1909). ..  
*Argyramoeba limitaris*, Brun., F. I. Dipt.  
 Brachy. I, 220<sup>2</sup>, [emend.].

**nigrofemorata, Brunetti.**

- Argyramoeba nigrofemorata*, Brun., R. I. <sup>1</sup>, <sup>2</sup> Garhwal District.  
 M., III, 219 (1909)<sup>1</sup>; *id.*, F. I. Dipt. <sup>1</sup>, <sup>2</sup> Satara District.  
 Brachy. I, 230<sup>2</sup>.

**niveicauda, Brunetti.**

- Argyramoeba niveicauda*, Brun., F. I. <sup>1</sup> Travancore.  
 Dipt. Brachy. I, 224 (1920)<sup>1</sup>. <sup>1</sup> Calcutta.  
<sup>1</sup> Sylhet.  
<sup>1</sup> Chapra.

**niveisquamis**, Brunetti.

*Argyramoeba niveisquamis*, Brun., R. I. <sup>1, 2</sup> Baluchistan.  
M., II, 472 (1909)<sup>1</sup>; *id.*, F. I. Dipt.  
Brachy. I, 229<sup>2</sup>.

**obscurifrons**, Brunetti.

*Argyramoeba obscurifrons*, Brun., R. I. <sup>1, 2</sup> Simla District.  
M., III, 216 (1909)<sup>1</sup>; *id.*, F. I. Dipt.  
Brachy. I, 220<sup>2</sup>, t. 3 f. 11.

**varia**, Fabricius.

*Anthrax varia*, Fb., Ent. Syst., IV, 259 <sup>3</sup> Bhim Tal.  
(1794)<sup>1</sup>; *id.*, Syst. Antl., 122; Mg.,  
Syst. Besch., II, 124.

*Argyramoeba varia*, Sch., F. Austr., I, <sup>2</sup> N. America.  
54; Kert., Cat. Dipt., V, 68<sup>2</sup>; Brun.,  
R. I. M., II, 450<sup>3</sup>; Coq., Trans. Amer.  
Ent. Soc., XXI, 96.

*Spogostylum varium*, Ald., Cat. N. Amer.  
Dipt., 223.

[Omitted from the "Fauna of India"  
volume.]

**15. Spogostylum, Macquart.**

*Spogostylum*, Mq., Dipt. Exot., II, 1, 53  
(1841) [Genotype, *Sp. mystaceum*,  
Macq.]; Kert., Cat. Dipt., V, 58  
[*Spongostylum*]; Brun., F. I. Dipt.  
Brachy. I, 213.

**austeni**, Brunetti.

*Spogostylum austeni*, Brun., F. I. Dipt. <sup>1</sup> Lahore.  
Brachy. I, 213 (1920)<sup>1</sup>.

**16. Exoprosopa, Macquart.\***

*Exoprosopa*, Mq., Dipt. Exot., II, 35, (1840)  
[Genotype, *Bibio capucina*, Fb. as

---

\*Whilst this catalogue has been passing through Press a paper by Nurse has appeared (*Jo. Bomb. N. H. S.* xxviii, 630, tab., June 1922), in which ten new species are described and three Palearctic species added to the Indian Fauna. Revised key for determination of all described species, pp. 631-632.



*pandora*, Fb.] ; Sch., F. Austr., I, 54 ;  
Coq., Can. Ent., XXIV, 123 ; O.-S.,  
Biologia, I, 77 ; Will., *loc. cit.*, I, 269 ;  
Ald., Cat. N. Amer. Dipt., 225 ; Wulp,  
Cat. Dipt. S. Asia, 69 ; Kert., Cat.  
Dipt., V, 5 ; Brun., R. I. M., II, 443,  
447, *id.*, F. I. Dipt., Brachy. I,  
189.

*Argyrospyla*, Rond., Dipt. Ital. Prodr., I, 162  
(1856).

*Argyropila*, Verr., *apud* Scudd., Nomencl.,  
32 (1882).

*Defliippia*, Liroy, Atti. Istit. Veneto, (3) IX,  
733 (1864).

*Exoptata*, (p. p.), Coq., Can. Ent., XIX, 13  
(1887).

*Hoteralonia*, Rond., Arch. Zool. Modena,  
III, (sep.) 57 (1863).

*Litorhynchus*, Mq., Dipt. Exot., II, 78 (1840).

*Trinaria*, Muls., Mem. Acad. Lyon. (2) II,  
20 (1852).

**albida**, Walker.

*Anthrax albida*, Wlk., Dipt. Saund., I, <sup>1, 2, 3, 4, 5</sup> E. Indies.  
171 (1852)<sup>1</sup> ; Wulp, Cat. Dipt. S. Asia,  
72<sup>2</sup>.

*Exoprosopa albida*, Kert., Cat. Dipt., V,  
6<sup>3</sup> ; Brun., R. I. M., II, 447 ; *id.*, F. I.  
Dipt. Brachy. I, 212.

**alexon**, Walker.

*Anthrax alexon*, Wlk., List Dipt. B. M., <sup>1, 2, 3, 4, 5</sup> E. Indies.  
II, 246 (1849)<sup>1</sup> ; Wulp, Cat. Dipt. S.  
Asia, 71<sup>2</sup>.

*Exoprosopa alexon*, Kert., Cat. Dipt., V,  
6<sup>3</sup> ; Brun., R. I. M., II, 445<sup>4</sup> ; *id.*,  
F. I. Dipt. Brachy., I, 211<sup>5</sup>.

**annandalei**, Brunetti.

*Exoprosopa annandalei* Brun., R. I. M., <sup>1, 2</sup> Moulmein.  
II, 445, 469, t. 12, f. 20 (1909)<sup>1</sup> ; *id.*,  
F. I. Dipt. Brachy. I, 199, t. 3, f. 8.<sup>2</sup>

**auripleura**, Walker.

*Anthrax auripleura*, Wlk., Dipt. Saund., <sup>1, 2, 3, 4, 5</sup> E. Indies.  
I, 171 (1852)<sup>1</sup>; Wulp, Cat. Dipt. S.  
Asia, 72<sup>2</sup>.

*Exoprosopa auripleura*, Kert., Cat. Dipt.,  
V, 7<sup>3</sup>; Brun., R. I. M., II, 445<sup>4</sup>; *id.*,  
F. I. Dipt. Brachy. I, 212<sup>5</sup>.

**basifascia**, Walker.

*Anthrax basifascia*, Wlk., List Dipt. <sup>2, 4</sup> Bengal.  
B. M., II, 248 (1849)<sup>1</sup>; Wulp, Cat. <sup>3, 5</sup> N. Bengal.  
Dipt. S. Asia, 71<sup>2</sup>.

*Exoprosopa basifascia*, Kert., Cat. Dipt.,  
V, 7<sup>3</sup>; Brun., R. I. M., II, 447<sup>4</sup>; *id.*,  
F. I. Dipt. Brachy. I, 211<sup>5</sup>.

**bengalensis**, Macquart.

*Exoprosopa bengalensis*, Mq., Dipt. Exot., <sup>2, 3, 4</sup> Bengal.  
II, 49, t. 18, f. 4 (1840)<sup>1</sup>; Wulp, Cat. <sup>5</sup> Bellary.  
Dipt. S. Asia, 70<sup>2</sup>; Kert., Cat. Dipt., <sup>5</sup> Bellary District.  
V, 7<sup>3</sup>; Brun., R. I. M., II, 445, t. 12, <sup>5</sup> Ceylon, E. P.  
f. 18<sup>4</sup>; *id.*, F. I. Dipt. Brachy. I, 206,  
t. 3, f. 5.<sup>5</sup>

**brahma**, Schiner.

*Exoprosopa brahma*, Sch., Novara Reise, <sup>2, 3, 4, 5</sup> Ceylon.  
118 (1868)<sup>1</sup>; Wulp, Cat. Dipt. S. Asia,  
71<sup>2</sup>; Kert., Cat. Dipt., V, 8<sup>3</sup>; Brun.,  
R. I. M., II, 446, t. 12, f. 22<sup>4</sup>; *id.*,  
F. I. Dipt. Brachy. I, 206, t. 3, f. 6<sup>5</sup>.

**flammea**, Brunetti.

*Exoprosopa flammea*, Brun., R. I. M., <sup>1, 3</sup> Pusa.  
II, 444, 466 (1909)<sup>1</sup>; *id.*, Spol. Zeyl., <sup>2</sup> Ceylon.  
VI, 171<sup>2</sup>; *id.*, F. I. Dipt. Brachy. I, <sup>1</sup> Trivandrum.  
193<sup>3</sup>; Howl., Ind. Ins. L., t. 63, f. 3 <sup>2</sup> Trincomali.  
(1909).

**flavipennis**, Brunetti.

*Exoprosopa flavipennis*, Brun., R. I. M., <sup>1, 2</sup> Pusa.  
II, 444, 465 (1909)<sup>1</sup>; *id.*, F. I. Dipt.  
Brachy. I, 192<sup>2</sup>.

**insulata**, Walker.

- Anthrax insulata*, Wlk., Dipt. Saund., 2, 4, 5 E. India.  
 172 (1852)<sup>1</sup>; Wulp, Cat. Dipt. S. Asia, 3, 5, 6 Nepal Terai.  
 72<sup>2</sup>; Brun., R. I. M., III, 222<sup>3</sup>. 3, 6 Gonda, U. P.
- Exoprosopa insulata*, Kert., Cat. Dipt., Simla.  
 V, 14<sup>4</sup>; Brun., R. I. M., II, 446, t. 12, 5 Masuri.  
 f. 21<sup>5</sup>; *id.*, F. I. Dipt. Brachy. I, 203, 6 Dehra Dun.  
 t. 3, f. 4. 6 Naini Tal.
- Exoprosopa octonotata*, Big., *nom. nud.* 6 Allahabad.  
 Belgachia.  
 6 Bhandhara, C. P.  
 6 Madhupur.  
 Chitorgarh.  
 Surat.  
 6 N. Kanara.  
 6 Utakamand.  
 6 Ceylon.  
 6 N. Khasis.  
 6 L. Burma.

**lar**, Fabricius.

- Bibio lar*, Fb., Spec. Ins., II, 414 (1781)<sup>1</sup>. 2, 3, 4 Bengal.
- Anthrax lar*, Fb., Syst. Antl., 110; *id.*, 4 Bombay.  
 Ent. Syst., IV, 257, 4; Wd., Auss. 5 United Provinces.  
 Zweifl. Ins., I, 268. 5 Central Provinces.
- Exoprosopa lar*, Wulp, Cat. Dipt. S. Asia, 7 Central India.  
 70<sup>2</sup>; Kert., Cat. Dipt., V, 15<sup>3</sup>; Brun., 6, 7 Madras.  
 R. I. M., II, 443, 444<sup>4</sup>; *id.*, F. I. Dipt. 5, 9 Kangra Valley.  
 Brachy. I, 194-7, t. 3, f. 1<sup>5</sup>. 5, 9 Sikkim.
- Exoprosopa binotata*, Mq., Dipt. Exot., 5, 10 Ceylon, E. P.  
 Supp. 5, 69, 66 (1855); Wulp, Cat. 5, 7 Mysore.  
 Dipt. S. Asia, 70<sup>8</sup>; Kert., Cat. Dipt., 5, 7 Travancore.  
 V, 8<sup>12</sup>. 8 E. India.
- \**Anthrax collaris*, Wd., Auss. Zweifl. Ins.,  
 I, 271 (1828); Wlk., List Dipt. B. M.,  
 II, 247; Wulp, Cat. Dipt. S. Asia,  
 71<sup>6</sup>.
- Litorhynchus collaris*, Mq., Dipt. Exot.,  
 I, 1, 80.

†Nurse (*Bmb. Jo.*, xxviii, 630) now regards this species as distinct, placing it and *lar* in *Litorhynchus* as a valid genus.

- Exoprosopa collaris*, Kert., Cat. Dipt., V, <sup>11</sup> Australia.  
 9<sup>11</sup>; Brun., R. I. M., II, 444, t. 12,  
 f. 16<sup>7</sup>; *id.*, loc. cit., III, 216<sup>9</sup>; *id.*, Spol.  
 Zeyl., VI, 171<sup>10</sup>.  
*Anthrax ruficollis*, Saund., T. Ent. Soc.  
 Lon., III, 59, Pl. V, 5, (1841).

**lateralis**, Brunetti.

- Exoprosopa lateralis*, Brun., R. I. M., <sup>1, 2</sup> Calcutta.  
 II, 445, 467-8, t. 12, f. 7<sup>1</sup> (1909); *id.*, <sup>2</sup> N. Kanara.  
 F. I. Dipt. Brachy. I, 198, t. 3, f. 7<sup>2</sup>.

**latipennis**, Brunetti.

- Exoprosopa latipennis*, Brun., R. I. M., <sup>1, 2</sup> Shillong.  
 II, 444, 464-5 (1909)<sup>1</sup>; *id.*, F. I. Dipt. <sup>2</sup> Khasis.  
 Brachy. I, 198<sup>2</sup>.

**maculiventris**, Brunetti.

- Exoprosopa maculiventris*, Brun., F. I. <sup>1</sup> Garhwal.  
 Dipt. Brachy. I, 200 (1920)<sup>1</sup>.

**niveiventris**, Brunetti.

- Exoprosopa niveiventris*, Brun., R. I. M., <sup>1, 2</sup> Paresnath.  
 III, 214-216 (1909)<sup>1</sup>; *id.*, F. I. Dipt. <sup>2</sup> S. Coorg.  
 Brachy. I, 207<sup>2</sup>. <sup>2</sup> Ceylon, E. P.

**pennipes**, Wiedemann.

- Anthrax pennipes*, Wd., Dipt. Exot., I, <sup>4, 5</sup> Karachi.  
 129 (1821)<sup>1</sup>; *id.*, Auss. Zweifl. Ins., I, <sup>4, 5</sup> Assam.  
 272. <sup>4, 5</sup> Pusa.  
*Hyperalonia pennipes*, Rend., Ann. Mus. <sup>3</sup> Madras.  
 Genoa, VII, 452.  
*Exoprosopa pennipes*, Mq., Dipt. Exot., <sup>2, 3, 4</sup> Borneo.  
 II, 1, 49; Wulp, Cat. Dipt. S. Asia, <sup>3</sup> Java.  
 70<sup>2</sup>; Kert., Cat. Dipt., V, 19<sup>3</sup>; Brun., <sup>3</sup> Oceania.  
 R. I. M., II, 443<sup>3</sup>; *id.*, F. I. Dipt. <sup>2</sup> ?Cape of Good Hope.  
 Brachy. I 197<sup>5</sup>.

**puerula**, Brunetti.

- Exoprosopa puerula* Brun., F. I. Dipt. <sup>1</sup> Madras.  
 Brachy. I, 205, t. 3, f. 9 (1920)<sup>1</sup>.

**semilucida**, Walker.

*Anthrax semilucida* Wlk. Dipt. Saund. <sup>1, 2, 3, 4, 5</sup> E. Indies.  
III, 170 (1852)<sup>1</sup>; Wulp, Cat. Dipt., S.  
Asia, 72<sup>2</sup>.

*Exoprosopa semilucida* Kert., Cat.  
Dipt., V, 21<sup>3</sup>; Brun., R. I. M., II,  
447<sup>4</sup>; *id.*, F. I. Dipt. Brachy. I,  
212<sup>5</sup>.

**stylata**, Brunetti.

*Exoprosopa stylata* Brun., F. I. Dipt. <sup>1</sup> Bellary District.  
Brachy. I, 201 (1920)<sup>1</sup>.

**vitrea**, Bigot.

*Exoprosopa vitrea* Big., Ann. Soc., Ent. <sup>2, 3, 4</sup> Pondicherry.  
Fr., LXI, 344 (1892)<sup>1</sup>; Wulp, Cat. <sup>5, 6</sup> Satara District.  
Dipt. S. Asia, 71<sup>2</sup>; Kert., Cat. Dipt. <sup>6</sup> W. Ghats.  
V, 24<sup>3</sup>; Brun., R. I. M., II, 447<sup>4</sup>; *id.* Mohanpur (Bengal).  
*loc. cit.*, VII, 467-8, t. 37, f. 5<sup>5</sup>; *id.*  
F. I. Dipt. Brachy. I, 210.

**vitripennis**, Brunetti.

*Exoprosopa vitripennis*, Brun. R. I. M., <sup>1, 2</sup> Mahableshwar.  
VII, 467-9 (1912)<sup>1</sup>; *id.*, F. I. Dipt. <sup>2</sup> Ceylon E. P.  
Brachy. I, 210<sup>2</sup>.

**17. Hyperalonia**, Rondani.

*Hyperalonia*, Rond., Arch. Zool. Modena,  
III, 1, (1864) [Genotype, *Stomoxys*  
*morio*, Fb., (*Anthrax erythrocephalus*,  
Fb.); O.-S., Biologia, I, 89, [revised  
chars.]; Ald., Cat. N. Amer. Dipt.,  
224; Brun., R. I. M., II, 438, 442;  
*id.*, F. I. Dipt. Brachy. I, 178; Kert.,  
Cat. Dipt., V, I, Will. Biologia, I,  
273 [notes].

*Velocia*, Coq., Can. Ent., XVIII, 158 (1886).

**aurantiaca**, Guérin.

*Anthrax aurantiaca*, Guér., Icon. Regne <sup>2, 3, 4, 5</sup> Bengal.  
Anim., III, (Ins.) 539, t. 95, f. 6 Chapra.  
(?1843)<sup>1</sup>.



*Exoprosopa aurantiaca*, Wulp, Cat.  
Dipt. S. Asia, 70<sup>2</sup>; Kert., Cat. Dipt.,  
V, 7<sup>3</sup>.

*Hyperalonia aurantiaca*, Brun., R. I. M.,  
II, 440, 460 [redescr.]<sup>4</sup>; *id.*, F. I.  
Dipt. Brachy. I, 186<sup>5</sup>.

**chrysolampis**, Jaennicke.

*Exoprosopa chrysolampis*, Jaen., Abh. <sup>4, 5</sup> Sikkim.  
Senck. Nat. Ges., VI, 344, t. 43, f. 8 <sup>4, 5</sup> Bhim Tal.  
(1867)<sup>1</sup>; O.-S., Ann. Mus. Gen., XVI,  
433; Wulp, Cat. Dipt. S. Asia, 70<sup>2</sup>. <sup>2, 3, 4, 5</sup> Java.  
*Hyperalonia chrysolampis*, Kert., Cat. <sup>2, 3, 4, 5</sup> Moluccas.  
Dipt., V, 2<sup>3</sup>; Brun., R. I. M., II, 439<sup>4</sup>; <sup>4, 5</sup> Borneo.  
*id.*, F. I. Dipt. Brachy. I, 182<sup>5</sup>.

**dives**, Walker.

*Anthrax dives*, Wlk., List Dipt. B. M., <sup>2, 3, 4, 5</sup> Sylhet.  
II, 40 (1849)<sup>1</sup>; Wulp, Cat. Dipt. S.  
Asia, 71<sup>2</sup>.  
*Exoprosopa dives*, Kert. Cat. Dipt., V,  
10<sup>3</sup>.  
*Hyperalonia dives*, Brun., R. I. M., II,  
439<sup>4</sup>; *id.*, F. I. Dipt. Brachy. I, 180.

**flaviventris**, Doleschall.

*Anthrax flaviventris*, Dol., Nat. Tijd. <sup>4, 5</sup> Tenassarim.  
Ned. Ind., XIV, 400, (1857)<sup>1</sup>; <sup>4, 5</sup> Trivandrum.  
*Exoprosopa flaviventris*, Wulp, Cat. Coorg.  
Dipt. S. Asia, 70<sup>2</sup>; Kert., Cat. Dipt.,  
V, 12<sup>3</sup>. <sup>2, 3, 4, 5</sup> Amboina.  
*Hyperalonia flaviventris*, O.-S., Berl. Ent. <sup>3</sup> Philippines.  
Zeit., XXVI, 112; Brun., R. I. M.,  
II, 441<sup>4</sup>; *id.*, F. I. Dipt. Brachy. I,  
183.

**oenomaus**, Rondani.

*Hyperalonia oenomaus*, Rond., Ann. Mus. <sup>3</sup> Darjiling District.  
Gen., VII, 453 (1875)<sup>1</sup>; Brun., R. I. <sup>3</sup> Sikkim.  
M., II, 442<sup>2</sup>; *id.*, F. I. Dipt. Brachy. <sup>3</sup> Mergui.  
I, 185<sup>3</sup>. <sup>3</sup> Sadiya.  
Shillong.

*Exoprosopa oenomaus*, O.-S., Berl. Ent. Zeit., XXVI, 112; Wulp, Cat. Dipt. S. Asia, 71<sup>4</sup>.  
 2, 3, 4 Borneo.  
 2, 3, 4 Philippines.

**semifuscata**, Brunetti.

*Hyperalonia semifuscata*, Brun., R. I. M., VII, 466, t. 37, f. 4 (1912)<sup>1</sup>; *id.*, F. I. Dipt. Brachy., I, 188<sup>2</sup>.  
 1, 2 Mahableshwar.

**sphinx**, Fabricius.

*Bibio sphinx*, Fb. Mantissa, II, 329, 20 (1787)<sup>1</sup>.  
*Anthrax sphinx*, Fb. Syst. Antl., 126; Wd., Auss. Zweifl. Ins., I, 258; Mq., Dipt. Exot., II, L, 37.  
*Exoprosopa sphinx*, Wulp, Cat. Dipt. S. Asia, 70<sup>2</sup>; Kert., Cat. Dipt., V, 22<sup>3</sup>.  
*Hyperalonia sphinx*, Brun., R. I. M., II, 440<sup>4</sup>; *id.*, F. I. Dipt. Brachy. I, 187<sup>5</sup>; Howl., Ind. Ins. L., 600 [parasite of *Sceliphron*]; Dutt, Pusa Ent. Mem., IV, 210, fig. 8 [pupa], fig. 9 [bionomics].  
 2, 3 E. India.  
 4, 5 Trivandrum.  
 4, 5 Bombay.  
 5 Orissa.  
 5 Chapra.  
 5 Coimbatore.  
 4, 5 Ceylon.

**suffusipennis**, Brunetti.

*Hyperalonia suffusipennis*, Brun., R. I. M., II, 462, t. 12, f. 15 (1909)<sup>1</sup>; *id.*, F. I. Dipt. Brachy I, 188, t. 3, f. 1<sup>2</sup>.  
 1, 2 Purneah.  
 2 Naini Tal.  
 2 Dehra Dun.  
 2 Coorg.  
 Tranquebar.

**tantalus**, Fabricius.

*Anthrax tantalus*, Fb., Ent. Syst., IV, 260 (1794)<sup>1</sup>; Wd. Auss. Zweifl. Ins., I, 255, 4; Mq., H. N. Dipt., I, 401; Kirby., A. M. N. H., 1884, 458.  
*Exoprosopa tantalus*, Mq., Dipt. Exot., I, L, 37; Kert., Cat. Pal. Dipt., II, 169<sup>4</sup>; Meij., Tijd. v. Ent., L, 239; Wulp, Cat. Dipt. S. Asia, 70<sup>2</sup>.  
*Hyperalonia tantalus*, Rond., Ann. Mus. Gen., VII, 453; Brun., R. I. M., II,  
 2, 3, 5 Hindostan.  
 3, 5 Tranquebar.  
 3, 5 Sikkim.  
 3, 5 Nepal.  
 3, 5 Assam.  
 3, 5 Tennaserim.  
 5 Naini Tal District,  
 9 Ceylon.  
 2, 3, 5 Java.

- 438<sup>3</sup>; *id.*, F. I. Dipt. Brachy., I, 181<sup>5</sup>; <sup>2, 3, 5</sup> Borneo..  
 Kert., Cat. Dipt., V, 4<sup>8</sup>; Longstaff, <sup>2, 3, 5</sup> Celebes.  
 Butterfly Hunting, 372<sup>9</sup>. <sup>2, 3, 5, 8</sup> China.  
*Anthrax caeruleopennis*, Dol., Nat. Tijd. <sup>3, 5, 8</sup> Papua.  
 Ned. Ind., XIV, 400, t. 9, f. 2<sup>6</sup> (1857). <sup>3, 5</sup> Sumatra.  
*Exoprosopa caeruleopennis*, O.-S., Ann. <sup>3, 4, 5, 8</sup> Japan.  
 Mus. Gen., XVI, 433; Wulp, Cat. <sup>6, 7</sup> Amboina.  
 Dipt. S. Asia, 70<sup>7</sup>. <sup>8</sup> Malay Archipelago.  
*Hyperalonia hyx*, Big., *nom. nud.*

**tristis**, van der Wulp.

- Exoprosopa tristis*, Wulp, Tijd. v. Ent., <sup>4, 5</sup> Tenmalai (Travan-  
 XI, 107, t. 3, f. 11 (1868)<sup>1</sup>; *id.*, Cat. core).  
 Dipt. S. Asia, 71<sup>2</sup>; Kert., Cat. Dipt.,  
 V, 23<sup>3</sup>. <sup>2, 3, 4</sup> Timor.  
*Hyperalonia tristis*, Brun., R. I. M., II,  
 439<sup>4</sup>; *id.*, F. I. Dipt. Brachy. I, 180<sup>5</sup>.

## INDEX TO GENERA.

*Anastoechus*, 6.  
*Anthrax*, 12.  
*Aphoebantus*, 9.  
*Argyromoeba*, 14.  
*Argyrospila*=*Argyromoeba*.  
*Aspiloptera*=*Anthrax*.

*Bombylisoma*=*Dischistus*.  
*Bombylius*, 7.

*Cephonus*=*Systropus*.  
*Choristus*=*Bombylius*.  
*Chrysanthrax*=*Anthrax*.  
*Cyclorhynchus*=*Phthiria*.

*Dasypalpus*=*Phthiria*.  
*Deflippia*=*Exoprosopa*.  
*Dipalta*=*Anthrax*.  
*Dischistus*, 8.

*Empidideicus*, 1.  
*Exoprosopa*, 16.  
*Exoptata*=*Exoprosopa*.

*Geron*, 2.

*Hemipenthes*=*Anthrax*.  
*Heteralonia*=*Exoprosopa*.  
*Hyalanthrax*=*Anthrax*.  
*Hyperalonia*, 17.

*Isopenthes*=*Anthrax*.

*Lepidanthrax*, 13.  
*Litorhynchus*=*Exoprosopa*.

*Megapalpus*=*Phthiria*.

*Paranthrax*=*Anthrax*.  
*Parisus*=*Bombylius*.  
*Phthiria*, 4.  
*Phthiria*=*Phthiria*.  
*Poecilanthrax*=*Anthrax*.  
*Poecilognathus*=*Phthiria*.

*Spogostylum*, 15.  
*Spogostylum*, (Will.)=*Argyromoeba*.  
*Stonyx*=*Anthrax*.  
*Systoechus*, 5.  
*Systropus*, 11.

*Thyridanthrax*=*Anthrax*.  
*Toxophora*, 10.  
*Trinaria*=*Exoprosopa*.  
*Triodites*=*Apoebantus*.

*Usia*, 3.

*Velocia*=*Hyperalonia*.  
*Villa*=*Anthrax*.  
*Volucella*, (Fb.)=*Usia*.

*Xystropus*=*Systropus*.

## INDEX TO SPECIES.

*afra*, *Anthrax*.  
*albescens*, *Geron*.  
*albida*, *Exoprosopa*.  
*albipectus*, (major), *Bombylius*.  
*albofulva*, *Anthrax*.  
*alexon*, *Exoprosopa*.  
*annandalei*, *Exoprosopa*.  
*appendiculata*, Big. (bigoti), *Argyromoeba*.  
*aperta*, *Anthrax*.  
*approximata*, *Anthrax*.  
*ardens*, *Dischistus*.  
*argentiapicalis*, *Argyromoeba*.  
*argentifrons*, *Geron*.  
*aureohirta*, *Anthrax*.  
*aurantiaca*, *Hyperalonia*.  
*auripleura*, *Exoprosopa*.  
*austeni*, *Spogostylum*.

*baluchianus*, *Anthrax*.  
*basifascia*, *Exoprosopa*.  
*bengalensis*, *Exoprosopa*.  
*bigoti*, *Argyromoeba*.  
*bimaculatus*, (paniscus), *Anthrax*.  
*binotata*, (lar), *Exoprosopa*.  
*bipunctata*, *Argyromoeba*.  
*brahma*, *Exoprosopa*.  
*brunettii*, *Bombylius*.  
*caeruleopennis*, (tantalus), *Hyperalonia*.  
*carbonaria*, (bipunctata), *Argyromoeba*.  
*ceylonicus*, *Aphoebantus*.  
*chrysolampis*, *Hyperalonia*.  
*cingulatus*, (paniscus), *Anthrax*.  
*clara*, *Anthrax*.

*clara* var. (approximata), Anthrax.  
*claripennis*, Argyromoeba.  
*clausa*, Anthrax.  
*collaris*, (lar), Exoprosopa.  
*comastes*, Bombylius.  
*compacta*, Lepidanthrax.

*dia*, Anthrax.  
*distigma*, Argyromoeba.  
*dives*, Hyperalonia.  
*dives*, (wulpii), Bombylius.  
*duvaucelii*, Argyromoeba.

*edwardsi*, Systropus.  
*erectus*, Bombylius.  
*eumenoides*, Systropus.  
*eupogonatus*, Systoechus.

*fimbriata*, (afra), Anthrax.  
*flammea*, Exoprosopa.  
*flavipennis*, Exoprosopa.  
*flavipleura*, Systropus.  
*flaviventris*, Hyperalonia.  
*flavospinosus*, Systoechus.  
*fletcheri*, Anthrax.  
*fratellus*, (major), Bombylius.  
*fulvipes*, Bombylius.  
*fuscolimbata*, Anthrax.

*gentilis*, Argyromoeba.  
*gestroi*, Argyromoeba.  
*gracilis*, Phthiria.  
*guttatipennis*, Anthrax.

*himalayanus*, (himalayensis), Anthrax.  
*himalayensis*, Anthrax.  
*hottentota* var. *claripennis*, Anthrax.  
*hottentotus*, Wlk. (paniscus), Anthrax.  
*hyalina*, (troglodyta), Anthrax.  
*hys*, (tantalus), Hyperalonia.

*indicus*, Empidideicus.  
*insulata*, Exoprosopa.  
*instituta*, Argyromoeba.  
*intermedia*, Argyromoeba.

*javana*, Toxophora.

*lar*, Exoprosopa.  
*lateralis*, Exoprosopa.  
*latipennis*, Exoprosopa.  
*leucopygus*, Anthrax.  
*limitaris*, Argyromoeba.  
*limitaris*, (limitaris), Argyromoeba.  
*limpida*, Anthrax.  
*longirostris*, Anastoechus.  
*lusens*, (troglodyta), Anthrax.  
*lucida*, Anthrax.

*maculatus*, Bombylius.  
*maculiventris*, Exoprosopa.  
*major*, Bombylius.  
*manifesta*, Anthrax.  
*marginata*, Usia.

*maura*, (Brun.) (himalayensis), Anthrax.  
*nigricaudus*, (ophioneus), Systropus.  
*nigrofemorata*, Argyromoeba.  
*nivalis*, Systoechus.  
*niveicauda*, Argyromoeba.  
*niveisquamis*, Argyromoeba.  
*niveiventris*, Exoprosopa.

*obscurifrons*, Argyromoeba.  
*octonotata*, (insulata), Exoprosopa.  
*oenomaus*, Hyperalonia.  
*ophioneus*, Systropus.  
*orientalis*, Bombylius.

*paniscus*, Anthrax.  
*pennipes*, Exoprosopa.  
*propinquus*, Bombylius.  
*pseudoterminalis*, Bombylius.  
*puerula*, Exoprosopa.  
*pulchellus*, (wulpii), Bombylius.

*referrens*, Anthrax.  
*resplendens*, Dischistus.  
*ruficollis*, (lar), Exoprosopa.

*scintillans*, (wulpii), Bombylius.  
*sedophila*, Usia.  
*semifuscata*, Anthrax.  
*semifuscata*, Hyperalonia.  
*semilucida*, Exoprosopa.  
*sinuatus*, (major), Bombylius.  
*socius*, Systoechus.  
*sphinx*, Hyperalonia.  
*stylata*, Exoprosopa.  
*suffusipennis*, Hyperalonia.

*tantalus*, Hyperalonia.  
*terminalis*, Bombylius.  
*transversa*, Lepidanthrax.  
*tricolor*, (orientalis), Bombylius.  
*tristis*, Hyperalonia.  
*troglodyta*, Anthrax.

*varia*, Argyromoeba.  
*variegatus*, (major), Bombylius.  
*vicinus*, Mq. (major), Bombylius.  
*vicinus*, Brun. (pseudoterminalis), Bombylius.  
*vitrea*, Exoprosopa.  
*vitripennis*, Exoprosopa.  
*wulpii*, Bombylius.



CALCUTTA  
SUPERINTENDENT GOVERNMENT PRINTING, INDIA  
8, HASTINGS STREET



